

### **AMENDMENTS TO THE CLAIMS:**

Please amend the claims as follows:

1. (Currently Amended) A method for associating computer network identifications with network policies, said method comprising the steps of:

analyzing a network interface associated with a client computer using a plurality of network detectors, the detectors outputting a set of netspecs, each netspec comprising a first token identifying a detector used for the analysis and a second token identifying the analyzed network interface;

sorting the set of netspecs in a priority order based at least in part on the reliability of the detectors that output the netspecs;

associating the network identifications made by the set of netspecs with locations based at least in part on the priority order of the set of netspecs; and

feeding associated network identification/location pairs to a network interface module to implement desired network policies.

2. (Original) The method of claim 1 wherein the network interface module is a module from the group of modules consisting of a firewall, a router, a sniffer, an intrusion detection module, a behavior blocking module, and a network communications module.

3. (Original) The method of claim 1 wherein the network interface module is a firewall, and a user of the client computer adjusts firewall settings to set network policies based upon location.

4. (Canceled)

5. (Canceled)
6. (Currently Amended) The method of claim [[5]] 1 wherein ~~a user of the client computer prioritizes the set of netspecs via a prioritization module~~ the priority order is set by a user of the client computer.
7. (Previously Presented) The method of claim 1 wherein the step of associating the network identifications with locations comprises using a network probe to look up locations in a netspec database.
8. (Original) The method of claim 7 wherein a user of the client computer modifies the netspec database via a location setting module.
9. (Previously Presented) The method of claim 1 wherein the step of feeding the associated network identification/location pairs to a network interface module comprises using a policy guide to feed the network identification/location pairs to the network interface module on a real-time basis.
10. (Currently Amended) Apparatus for associating computer network identifications with network policies, said apparatus comprising:
- means for analyzing a network interface associated with a client computer
- using a plurality of network detectors, the detectors outputting a set of netspecs, each netspec comprising a first token identifying a detector used for the analysis and a second token identifying the analyzed network interface;
- coupled to the analyzing means, means for sorting the set of netspecs in a priority order based at least in part on the reliability of the detectors that output the netspecs;

coupled to the ~~analyzing~~ sorting means, means for associating the network identifications made by the set of netspecs with locations based at least in part on the priority order of the set of netspecs; and

coupled to the associating means, means for feeding associated network identification/location pairs to a network interface module to implement desired network policies.

11. (Original) The apparatus of claim 10 wherein the network interface module is a module from the group of modules consisting of a firewall, a router, a sniffer, an intrusion detection module, a behavior blocking module, and a network communications module.

12. (Original) The apparatus of claim 10 wherein the network interface module is a firewall, and the network policies are implemented on a packet-by-packet basis.

13. (Original) The apparatus of claim 12 wherein locations are correlated with firewall settings on a distributed basis within the firewall.

14. (Canceled)

15. (Canceled)

16. (Previously Presented) The apparatus of claim 10 wherein the associating means further comprises:

a netspec database associating the netspecs with the locations.

17. (Previously Presented) The apparatus of claim 16 further comprising, coupled to the netspec database, a location setting module adapted to enable a user of the client computer to associate the locations with the netspecs.

18. (Previously Presented) The apparatus of claim 10 wherein the feeding means comprises:

a policy guide for associating the network identifications with the locations;  
wherein

the network interface module implements the network policies based upon the  
locations fed to the network interface module by the policy guide.

19. (Previously Presented) The apparatus of claim 10 further comprising, coupled to the network interface module, a user interface adapted to enable a user of the client computer to associate the locations with the network policies.

20. (Canceled)

21. (Currently Amended) At least one computer-readable medium containing computer program instructions for associating computer network identifications with network policies, said computer program instructions performing the steps of:

analyzing a network interface associated with a client computer using a  
plurality of network detectors, the detectors outputting a set of netspecs,  
each netspec comprising a first token identifying a detector used for the  
analysis and a second token identifying the analyzed network interface;  
sorting the set of netspecs in a priority order based at least in part on the  
reliability of the detectors that output the netspecs;

associating the network identifications made by the set of netspecs with  
locations based at least in part on the priority order of the set of netspecs;  
and

feeding associated network identification/location pairs to a network interface  
module to implement desired network policies.

22. (Currently Amended) The method of claim 1, wherein the client computer has a plurality of network interfaces and further comprising:

analyzing each of the plurality of network interfaces using the plurality of

network detectors; and

analyzing the netspecs for the plurality of network interfaces output by the

plurality of network detectors to identify a set of unique network

interfaces;

wherein interfaces in the set of unique network interfaces are associated with

locations responsive to the ~~set of netspecs~~ priority order.

23. (New) The method of claim 1, further comprising:

associating the network interface with a location associated with a highest

priority netspec in the set.